

# High Performance Liquid Analytics

111 Westport Plaza Dr. 6th Floor  
St. Louis, MO. 63146

# Certificate of Analysis

June 15, 2020  
Derma Thereal  
SAFETY RESULTS

For informational purposes only.

Product Name: Instant Wrinkle Remover 20MG  
Manufacturer: DermaThereal  
Type:Topical  
Test: Non-Compliance Full-Panel

## PRODUCT IMAGE



Sample ID:-T082  
Sample Size: 5ml  
Retail Product Size:20mg/15ml/.5oz  
Ordered : 06/06/20  
Sampled : 06/07/20  
Completed: 06/15/20  
Expires: 06/15/21  
Sampling Method: SOP Client Method

**PASSED**

Page 1 of 5

MISC.

Pesticides	Heavy Metals	Microbials	Mycotoxins	Residuals	Filth	Water Activity	Moisture	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	NOT TESTED	TESTED

## CANNABINOID RESULTS

Total THC  
**0.0%**

Total CBD  
**1.44mg/ml**  
CBD/Container: 21.64mg

Total Cannabinoids  
**21.64mg**  
Total Cannabinoids/Container: 21.64mg

CBC ND mg/v	CBGA ND mg/v	CBG ND mg/v	CBN ND mg/v	THCV ND mg/v	D-8 THC ND mg/v	CBDV ND mg/v	CBDA 0.05 mg/v	CBD 7.21 mg/v	D-9 THC ND mg/v	THCA ND mg/v
ND mg/v	ND mg/v	ND mg/v	ND mg/v	ND mg/v	ND mg/v	ND mg/v	0.01 mg/v	1.44 mg/v	ND mg/v	ND mg/v
0.01 LOD	0.01 LOD	0.01 LOD	0.01 LOD	0.01 LOD	0.01 LOD	0.01 LOD	0.01 LOD	0.01 LOD	0.01 LOD	0.01 LOD

**Foreign Matter PASSED**

Analyzed By Weight Date LOD(ppm)  
ID-710 .25ml. 06/12/20 N/A  
Reviewed On - 06/15/20

Instrument Used : Filth/Foreign Material Microscope

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products.

## Cannabinoid Profile Test

Analyzed By	Weight	Extraction date	Extracted By
ID-710	5ml	06/07/20	ID-710
Reviewed On - 06/15/20			
Instrument Used : HPLA-1100-DAD-#01			
Reagent	Dilution		
030520.03	400		

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection (HPLC-UV).

This report shall not be reproduced, unless in its entirety, without written approval from High Performance Liquid Analytics. This report is a High Performance Liquid Analytics certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Repro-ducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

C. Kukowski  
LAB DIRECTOR

Signature

06-15-2020  
Signed On

# High Performance Liquid Analytics

111 Westport Plaza Dr. 6th Floor  
St. Louis, MO. 63146

## Certificate of Analysis

Derma Thereal

Product Name: Instant Wrinkle Remover 20MG  
Manufacturer: DermaThereal  
Type: Topical  
Test: Non-Compliance Full-Panel

Sample ID: T082  
Sample Size: 5ml  
Retail Product Size: 20mg/30ml/1oz  
Ordered: 06/06/20  
Sampled: 06/07/20  
Completed: 06/15/20  
Expires: 06/15/21

Sampling Method: SOP Client Method

**D5 GG9 8**

Page 2 of 5

### Terpenes

**HYghYX**

HYfdYbYg'	@C8''	I bJhg''	FYgi`hfl £
5 @<5!798F9B9C	0.007	%	ND
5 @<5!<I AI @B9'	0.007	%	ND
5 @<5!D-B9B9'	0.007	%	ND
5 @<5!H9FD-B9B9'	0.007	%	ND
69H5!AMF79B9'	0.007	%	ND
69H5!D-B9B9'	0.007	%	ND
6 CFB9C @	0.013	%	ND
7 5 AD<9B9'	0.007	%	ND
7 5 AD<CF	0.013	%	ND
7 5 FMCD<M@@B9'CL-B9'			
7 98 FC @	0.007	%	ND
5 @<5!6-G56C@@@	0.007	%	ND
G56-B9B9	0.007	%	ND
G56-B9B9'<M8F5H9	0.007	%	ND
H9FD-B9C @	0.007	%	ND
H9FD-BC @B9	0.007	%	ND
69H5!75 FMCD<M@@B9'	0.007	%	ND
HF5 BG!B9FC @8C @	0.007	%	ND
J5 @B79B9'	0.007	%	ND
DI @; CB9'	0.007	%	ND
5 @<5!D<9 @G B8F9B9'	0.007	%	ND
C7-A9B9'	0.007	%	ND
B9FC @	0.007	%	ND
@B5 @C @	0.007	%	ND
@ACB9B9'	0.007	%	ND
; I 5-C @	0.007	%	ND
; 9F5BM@579H5H9	0.007	%	ND
; 9F5B-C @	0.007	%	ND
; 5AA5!H9FD-B9B9	0.007	%	ND
: 9B7<CB9	0.007	%	ND
: 5FB9G9B9'	0.007	%	ND

HcHJ'

\$'

HYfdYbYg'	@C8''	I bJhg''	FYgi`hfl £
9I 75 @DHC @	0.007	%	ND
-GC6 CFB9C @	0.007	%	ND
<9L5<M8FCH<MAC @	0.007	%	ND
: 9B7<M@5 @7C<C @	0.007	%	ND
'!75F9B9	0.007	%	ND
7-GIB9FC @8C @	0.007	%	ND
-GCDI @; C @	0.007	%	ND

### Terpenes

**H9 GH9 8'**

5bUmYX'Vmi K YJ[\ h	9I HfUWjcb'XUH	'9I HfUWYX'm
ID-710	1.0045g 06/08/20	ID-710
FYj JYk YX'Cb - 06/15/20		
-bghfi a Ybhl gYX'. Liquid Injection GCMS QP2010		

FYU[ Ybhi	8 J'i Hcb'	7 cbgi a g"-8'
021420.11	10	180111
012120.R13		280653964

Terpenoid profile screening is performed using GC-MS with Liquid Injection (Gas Chromatography - Mass Spectrometer) which can screen 38 terpenes using Method SOP.T.40.091 Terpenoid Analysis Via GC/MS.

This report shall not be reproduced, unless in its entirety, without written approval from High Performance Liquid Analytics. This report is a High Performance Liquid Analytics certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Repro-ducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

C. Kukowski  
LAB DIRECTOR

  
Signature

06-15-2020  
Signed On

# High Performance Liquid Analytics

111 Westport Plaza Dr. 6th Floor  
St. Louis, MO. 63146

## Certificate of Analysis

Derma Thereal

Product Name: Instant Wrinkle Remover 20MG  
Manufacturer: DermaThereal  
Type: Topical  
Test: Non-Compliance Full-Panel

Sample ID: T082  
Sample Size: 5ml  
Retail Product Size: 20mg/30ml/1oz  
Ordered : 06/06/20  
Sampled : 06/07/20  
Completed: 06/15/20  
Expires: 06/15/21  
Sampling Method: SOP Client Method

**PASSED**

Page 3 of 5

### Pesticides

**PASSED**

Pesticides	LOD	Units	Action Level	Result	Pesticides	LOD	Units	Action Level	Result
ABAMECTIN B1A	0.01	ppm	0.3	ND	METHOMYL	0.01	ppm	0.1	ND
ACEPHATE	0.01	ppm	3	ND	METHYL PARATHION	0.005	ppm	0.1	ND
ACEQUINOCYL	0.01	ppm	2	ND	MEVINPHOS	0.01	ppm	0.1	ND
ACETAMIPRID	0.01	ppm	3	ND	MYCLOBUTANIL	0.01	ppm	3	ND
ALDICARB	0.01	ppm	0.1	ND	NALED	0.025	ppm	0.5	ND
AZOXYSTROBIN	0.01	ppm	3	ND	OXAMYL	0.05	ppm	0.5	ND
BIFENAZATE	0.01	ppm	3	ND	PACLOBUTRAZOL	0.01	ppm	0.1	ND
BIFENTHRIN	0.01	ppm	0.5	ND	PHOSMET	0.01	ppm	0.2	ND
BOSCALID	0.01	ppm	3	ND	PIPERONYL BUTOXIDE	0.1	ppm	3	ND
CAPTAN	0.07	ppm	3	ND	PRALLETHRIN	0.01	ppm	0.4	ND
CARBARYL	0.05	ppm	0.5	ND	PROPICONAZOLE	0.01	ppm	1	ND
CARBOFURAN	0.01	ppm	0.1	ND	PROPOXUR	0.01	ppm	0.1	ND
CHLORANTRANILIPROLE	0.1	ppm	3	ND	PYRETHRINS	0.05	ppm	1	ND
CHLORFENAPYR	0.01	ppm	0.1	ND	PYRIDABEN	0.02	ppm	3	ND
CHLORMEQUAT CHLORIDE	0.05	ppm	3	ND	SPINETORAM	0.02	ppm	3	ND
CHLORPYRIFOS	0.01	ppm	0.1	ND	SPIROMESIFEN	0.01	ppm	3	ND
CLOFENTEZINE	0.02	ppm	0.5	ND	SPIROTETRAMAT	0.01	ppm	3	ND
COUMAPHOS	0.01	ppm	0.1	ND	SPIROXAMINE	0.01	ppm	0.1	ND
CYFLUTHRIN	0.05	ppm	1	ND	TEBUCONAZOLE	0.01	ppm	1	ND
CYPERMETHRIN	0.05	ppm	1	ND	THIACLOPRID	0.01	ppm	0.1	ND
DAMINOZIDE	0.01	ppm	0.1	ND	THIAMETHOXAM	0.05	ppm	1	ND
DIAZANON	0.01	ppm	0.2	ND	TOTAL CONTAMINANT LOAD	0	ppm	20	ND
DICHLORVOS	0.01	ppm	0.1	ND	(PESTICIDES)				
DIMETHOATE	0.01	ppm	0.1	ND	TOTAL PERMETHRIN	0.01	ppm	1	ND
DIMETHOMORPH	0.02	ppm	3	ND	TOTAL SPINOSAD	0.01	ppm	3	ND
ETHOPROPHOS	0.01	ppm	0.1	ND	TRIFLOXYSTROBIN	0.01	ppm	3	ND
ETOXAZOLE	0.01	ppm	1.5	ND					
FENHEXAMID	0.01	ppm	3	ND					
FENOXYCARB	0.01	ppm	0.1	ND					
FENPYROXIMATE	0.01	ppm	2	ND					
FIPRONIL	0.01	ppm	0.1	ND					
FLONICAMID	0.01	ppm	2	ND					
FLUDIOXONIL	0.01	ppm	3	ND					
HEXYTHIAZOX	0.01	ppm	2	ND					
IMAZALIL	0.01	ppm	0.1	ND					
IMIDACLOPRID	0.04	ppm	3	ND					
KRESOXIM-METHYL	0.01	ppm	1	ND					
MALATHION	0.02	ppm	2	ND					
METALAXYL	0.01	ppm	3	ND					
METHIOCARB	0.01	ppm	0.1	ND					

### Pesticides

**PASSED**

Analyzed by Weight Extraction date Extracted By  
ID-710 1.0501g 06/08/20 ID-710

Reviewed On - 06/15/20  
Instrument Used : Liquid Injection GCMS QP2010

Reagent	Dilution	Consums. ID
013120.28	10	180111
031220.R10		280653964
032320.R17		

This report shall not be reproduced, unless in its entirety, without written approval from High Performance Liquid Analytics. This report is a High Performance Liquid Analytics certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Repro-ducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

C. Kukowski  
LAB DIRECTOR

  
Signature

06-15-2020  
Signed On

High Performance  
Liquid Analytics

111 Westport Plaza Dr. 6th Floor  
St. Louis, MO. 63146

Certificate of Analysis

Derma Thereal

Product Name: Instant Wrinkle Remover 20MG  
Manufacturer: DermaThereal  
Type:Topical  
Test: Non-Compliance Full-Panel

Sample ID:-T082  
Sample Size: 5ml  
Retail Product Size:20mg/15ml/.5oz  
Ordered : 06/06/20  
Sampled : 06/07/20  
Completed: 06/15/20  
Expires: 06/15/21  
Sampling Method: SOP Client Method

PASSED

Page 4 of 5

Residual solvents

PASSED

Solvent	LOD	Units	Action Level (PPM)	Pass/Fail	Result	Analyzed by	Weight	Extraction date	Extracted By
						ID-710	0.0294g	06/08/20	ID-710
1,1-DICHLOROETHENE	1	ppm	8	PASS	ND	Reviewed On - 06/15/20 Instrument Used : Headspace GCMS			
1,2-DICHLOROETHANE	0.18	ppm	2	PASS	ND				
2-PROPANOL	45	ppm	500	PASS	ND				
ACETONE	67.5	ppm	750	PASS	ND				
ACETONITRILE	5.4	ppm	60	PASS	ND	Reagent	Dilution 1	Consums. ID 00279984 161291-1 24154107	
BENZENE	0.09	ppm	1	PASS	ND				
BUTANES (N-BUTANE)	96	ppm	5000	PASS	ND				
CHLOROFORM	0.18	ppm	2	PASS	ND				
DICHLOROMETHANE	3.75	ppm	125	PASS	ND				
ETHANOL	90	ppm	000000	PASS	776.749				
ETHYL ACETATE	36	ppm	400	PASS	ND				
ETHYL ETHER	45	ppm	500	PASS	ND				
ETHYLENE OXIDE	0.6	ppm	5	PASS	ND				
HEPTANE	45	ppm	5000	PASS	ND				
METHANOL	22.5	ppm	250	PASS	ND				
N-HEXANE	4.5	ppm	250	PASS	ND				
PENTANES (N-PENTANE)	67.5	ppm	750	PASS	ND				
PROPANE	120	ppm	5000	PASS	ND				
TOLUENE	13.5	ppm	150	PASS	ND				
TOTAL XYLENES	13.5	ppm	150	PASS	ND				
TRICHLOROETHYLENE	2.25	ppm	25	PASS	ND				

This report shall not be reproduced, unless in its entirety, without written approval from High Performance Liquid Analytics. This report is a High Performance Liquid Analytics certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Repro-ducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

C. Kukowski  
LAB DIRECTOR

  
Signature

06-15-2020  
Signed On



# High Performance Liquid Analytics

111 Westport Plaza Dr. 6th Floor  
St. Louis, MO. 63146

## Certificate of Analysis

Derma Thereal

Product Name: Instant Wrinkle Remover 20MG  
Manufacturer: DermaThereal  
Type:Topical  
Test: Non-Compliance Full-Panel

Sample ID:-T082  
Sample Size: 5ml  
Retail Product Size:20mg/15ml/.5oz  
Ordered : 06/06/20  
Sampled : 06/07/20  
Completed: 06/15/20  
Expires: 06/15/21  
Sampling Method: SOP Client Method

PASSED

Page 5 of 5

### Mycotoxins PASSED

Analyte	LOD	Units	Result	Action Level (PPM)
AFLATOXIN G2	0.002	ppm	ND	0.02
AFLATOXIN G1	0.002	ppm	ND	0.02
AFLATOXIN B2	0.002	ppm	ND	0.02
AFLATOXIN B1	0.002	ppm	ND	0.02
OCHRATOXIN A+	0.002	ppm	ND	0.02

Aflatoxins B1, B2, G1, G2, and Ochratoxins A testing using LC-MS. (Method: SOP.T.30.065 for Sample Preparation and SOP.T40.065 Procedure for Mycotoxins Quantification Using LCMS. LOQ 1.0 ppb). Aflatoxin B1, B2, G1, and G2 must individually be <20ug/Kg. Ochratoxins must be <20µg/Kg.

### Heavy Metals PASSED

Reagent	Dilution
032420.R01	50
031820.R03	
031820.R02	
031920.R01	
111319.02	

Metal	LOD	Unit	Result	Action Level (PPM)
ARSENIC	0.02	ppm	ND	.5
CADMIUM	0.02	ppm	ND	0.5
LEAD	0.05	ppm	ND	0.5
MERCURY	0.02	ppm	ND	3

### Microbials PASSED

Analyte	Result
ASPERGILLUS_FLAVUS	not present in 1 gram.
ASPERGILLUS_FUMIGATUS	not present in 1 gram.
ASPERGILLUS_NIGER	not present in 1 gram.
ASPERGILLUS_TERREUS	not present in 1 gram.
ESCHERICHIA_COLI_SHIGELLA_SPP	not present in 1 gram.
SALMONELLA_SPECIFIC_GENE	not present in 1 gram.
TOTAL_YEAST_AND_MOLD	<100

Reviewed On - 06/15/20  
Instrument Used : PathogenDX PCR\_Array Scanner,PathogenDX PCR\_DA-171

Analyzed by	Weight	Extraction date	Extracted By
ID-710	0.2808g	06/07/20	ID-710

Reviewed On - 06/15/20  
Instrument Used : ICPMS-2030 B

Analyzed by	Weight	Extraction date	Extracted By
ID-710	1.0197g	06/07/20	ID-710

Reagent	Dilution	Consums. ID
		181019-274

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. (Method SOP.T.40.043) If a pathogenic Escherichia Coli, Salmonella, Aspergillus fumigatus, Aspergillus flavus, Aspergillus niger, or Aspergillus terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

This report shall not be reproduced, unless in its entirety, without written approval from High Performance Liquid Analytics. This report is a High Performance Liquid Analytics certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Repro-ducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request.The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

C. Kukowski  
LAB DIRECTOR

  
Signature

06-15-2020  
Signed On